



Kaon LT Status Update

May 17th, 2022

Richard Trotta

Analysis Phases

1. Calibrations ✓

- Calorimeter, aerogel, HG cer, HMS cer, DC, Quartz plan of hodo
- Assure we are replaying to optimize our physics settings

2. [~2 months] Efficiencies and offsets ← Current step

- Luminosity, elastics, Heeps, etc.

3. [3-4 months] First iteration of cross section ← On-deck

- Extract the kaon electroproduction cross section

4. [~1 months] Fine tune

- Fine tune values to minimize systematics

5. [~3+ months] Repeat previous two steps

- Repeat until acceptable cross sections are reached
- This will highlight any potential complications

6. [~1 month] Possible attempt at form factor extraction

- The **Rosenbluth separation technique**** is used to isolate the longitudinal term and thus the form factor can be extracted


2. Efficiencies and offsets

- 10.6 GeV -> Richard
- 8.2 GeV -> Ali
- 6.2 GeV -> Ali/Richard
- 3.8/4.9 GeV -> Vijay
- Goal: Finish these up by the summer time (more iterations will be needed in the future)

3. First iteration of cross section

- Goal: By the start of summer, start looking at Bill's code and getting cross-sections (even if previous step is not quite finished)

Yield Calculation




10.6 GeV

COIN


$P_{HMS} = -6.590$
 $\theta_{HMS} = 18.845$
 $P_{SHMS} = +4.840$
 $\theta_{SHMS} = 26.147$
 $PS1=5$
 $PS3=1$

$$\text{Yield} = \frac{N}{Q_{tot}\epsilon_{tot}}$$


SHMS xptar



SHMS delta



SHMS yptar






10.6 GeV

COIN

$P_{HMS} = -6.590$
 $\theta_{HMS} = 18.845$
 $P_{SHMS} = +4.840$
 $\theta_{SHMS} = 26.147$
 $PS1=5$
 $PS3=1$

$$\text{Yield} = \frac{N}{Q_{tot}\epsilon_{tot}}$$






10.6 GeV

COIN

$P_{\text{HMS}} = -6.590$
 $\theta_{\text{HMS}} = 18.845$
 $P_{\text{SHMS}} = +4.840$
 $\theta_{\text{SHMS}} = 26.147$
PS1=5
PS3=1

$$\text{Yield} = \frac{N}{Q_{\text{tot}} \epsilon_{\text{tot}}}$$






10.6 GeV

COIN

$P_{\text{HMS}} = -6.590$
 $\theta_{\text{HMS}} = 18.845$
 $P_{\text{SHMS}} = +4.840$
 $\theta_{\text{SHMS}} = 26.147$
 $\text{PS1} = 5$
 $\text{PS3} = 1$

$$\text{Yield} = \frac{N}{Q_{\text{tot}} \epsilon_{\text{tot}}}$$






10.6 GeV



$P_{HMS} = -6.590$
 $\theta_{HMS} = 18.845$
 $P_{SHMS} = +4.840$
 $\theta_{SHMS} = 26.147$
 $PS1=5$
 $PS3=1$


$$\text{Yield} = \frac{N}{Q_{tot}\epsilon_{tot}}$$

COIN






10.6 GeV

COIN



 $P_{HMS} = -6.590$
 $\theta_{HMS} = 18.845$
 $P_{SHMS} = +4.840$
 $\theta_{SHMS} = 26.147$
 $PS1=5$
 $PS3=1$

$$\text{Yield} = \frac{N}{Q_{tot}\epsilon_{tot}}$$







10.6 GeV

COIN


 $P_{HMS} = -6.590$
 $\theta_{HMS} = 18.845$
 $P_{SHMS} = +4.840$
 $\theta_{SHMS} = 26.147$
 $PS1=5$
 $PS3=1$

$$\text{Yield} = \frac{N}{Q_{tot}\epsilon_{tot}}$$



10.6 GeV

COIN

$P_{HMS} = -6.590$
 $\theta_{HMS} = 18.845$
 $P_{SHMS} = +4.840$
 $\theta_{SHMS} = 26.147$
 $PS1=5$
 $PS3=1$

$$\text{Yield} = \frac{N}{Q_{tot}\epsilon_{tot}}$$

