



---

# Pion-LT Meeting

---

**Mr. Muhammad Junaid**  
**Ph.D. Student**  
**Department of Physics,**  
**University of Regina, Canada**

# HEEP Study

PionLT Experiment

Beam Energy (GeV)	Setting (HeePCoin - 9)	Run Numbers
5.986	HMS_p = -3.271, HMS_theta = 29.170, SHMS_p = 3.493, SHMS_theta = 27.495	13058 – 13062, 13128
6.395 (s1)	HMS_p = -4.752, HMS_theta = 18.595, SHMS_p = 2.412, SHMS_theta = 37.970	16277 – 16279
6.395 (s2)	HMS_p = -4.391, HMS_theta = 21.095, SHMS_p = 2.792, SHMS_theta = 34.470	16280 – 16282
6.395 (s3)	HMS_p = -3.014, HMS_theta = 33.350, SHMS_p = 4.220, SHMS_theta = 23.115	16512 - 16517
7.937	HMS_p = -3.280, HMS_theta = 33.645, SHMS_p = 5.512, SHMS_theta = 19.265	14589 - 14600
8.479	HMS_p = -5.587, HMS_theta = 19.560, SHMS_p = 3.731, SHMS_theta = 30.020	16162 – 16165
9.177	HMS_p = -3.738, HMS_theta = 31.645, SHMS_p = 6.265, SHMS_theta = 18.125	11846 - 11879
9.876	HMS_p = -5.366, HMS_theta = 23.050, SHMS_p = 5.422, SHMS_theta = 23.050	13164 - 13169
10.549	HMS_p = -5.878, HMS_theta = 21.670, SHMS_p = 5.539, SHMS_theta = 23.110	14986 - 14993

- Cuts for HeeP data.

### HMS Cuts (Electrons)

$$-8 < H\_gtr\_dp < 8$$

$$-0.08 < H\_gtr\_th < 0.08$$

$$-0.045 < H\_gtr\_ph < 0.045$$

$$HMS\_Cal\_etottracknorm > 0.7$$

$$H\_Cer\_npeSum > 1.5$$

### SHMS Cuts (Protons)

$$-10 < P\_gtr\_dp < 20$$

$$-0.06 < P\_gtr\_th < 0.06$$

$$-0.04 < P\_gtr\_ph < 0.04$$

Ctime\_epCoinTime\_ROC1 – Prompt Peak

- Cuts for HeeP SIMC.

### HMS Cuts (Electrons)

$$-8 < hsdelta < 8$$

$$-0.08 < hsxpfp < 0.08$$

$$-0.045 < hsyfp < 0.045$$

### SHMS Cuts (Protons)

$$-10 < ssdelta < 20$$

$$-0.06 < ssxpfp < 0.06$$

$$-0.04 < ssypfp < 0.04$$

- Global In-Plane Offset from Garth:

### Global In-Plane Offsets – Momentum and Energy offsets in 0.1% unit, Angle offset in mrad unit

<b>dthe</b>	1.2000	<b>dpe</b>	-0.1000	<b>dthp</b>	1.7000	<b>dpp</b>	-0.2000		
<b>BE</b>	5984.8	6394.7s1	6394.7s2	6394.7s3	7937.6	8478.6	9171.3	9876.9	10546.8
<b>dE</b>	-0.6000	-0.6000	-0.6000	-0.6000	-0.5000	-0.5000	-0.6000	-0.7000	-0.0000

- Implemented energy, momentum and angle offset with positive sign on both DATA and SIMC.
- Implemented Out-of-plane offsets to DATA (**HMS = +0.00196rad** and **SHMS = -0.000082rad**).

# HEEP Study

PionLT Experiment

Beam Energy (GeV)	Year	Run Numbers	Data/SIMC Ratio (Without MMP Cut)	Data/SIMC Ratio (with MMP Cut < 0.1)	Issues
5.986	2021	13058 – 13062, 13128	1.055 +/- 0.005	0.998 +/- 0.005	EDTM check for run 13060
6.395 (s1)	2022	16277 – 16279	1.083 +/- 0.004	1.002 +/- 0.004	No issue
6.395 (s2)	2022	16280 – 16282	0.944 +/- 0.004	0.861 +/- 0.004	No issue
6.395 (s3)	2022	16512 - 16517	1.095 +/- 0.007	1.049 +/- 0.007	No dummy run issue Check SHMS_3/4_Hodo_Eff
7.937	2021	14589 - 14600	1.114 +/- 0.009	1.056 +/- 0.008	SHMS_3/4_Hodo_Eff Issue
8.479	2022	16162 – 16165	1.136 +/- 0.007	1.028 +/- 0.007	Check SHMS_3/4_Hodo_Eff
9.177	2021	11846 - 11879	1.258 +/- 0.014	1.163 +/- 0.013	EDTM check for runs 11850 and 11859 SHMS_3/4_Hodo_Eff Issue
9.876	2021	13164 - 13169	1.146 +/- 0.013	1.040 +/- 0.012	Check SHMS_3/4_Hodo_Eff
10.549	2022	14986 - 14993	1.224 +/- 0.011	1.092 +/- 0.010	SHMS_3/4_Hodo_Eff Issue

- Made HeePCoin comparison plots and calculated Data/SIMC Ratio.
- Calculated errors in ratios properly.
- SIMC and Data is normalized.

$$\textit{Effective charge} = \textit{Charge} \times \textit{Tracking Eff} \times \textit{Detector Eff} \times \textit{Hodo}^{\frac{3}{4}} \textit{Eff} \times \textit{EDTM Live Time} \times \textit{Boiling Corr}$$

- In data normalization, Following quantities are included:
  - **Charge (run-by-run)**
  - **Tracking Efficiencies (HMS and SHMS run-by-run)**
  - **Detector Efficiencies (HMS Cer and HMS Cal run-by-run)**
  - **Hodo  $\frac{3}{4}$  Efficiencies (HMS and SHMS run-by-run)**
  - **EDTM Live Time (run-by-run)**
  - **Dummy Target Thickness Correction Applied – (3.527 +/- 0.227 - PionLT)**
  - **Richard's Boiling Correction Applied (-0.0007899) - From Richard**

### In progress:

- Working on data/simc ratios.
- Looking into SHMS  $\frac{3}{4}$  Hodo Efficiency.
- Looking for updated optics files for High momentum settings.
- Working on Proton absorption correction.